



महाराष्ट्र शासन
आदिवासी विकास विभाग,
मादाम कामा मार्ग, हुतात्मा राजगुरु चौक
१ ला मजला, विस्तार इमारत
मंत्रालय, मुंबई - ४०० ०३२

E-mail - compcell.tdd-mh@mah.gov.in

दूरध्वनी क्र.०२२-२२०४७१४४

क्र. संगणक २०२३/प्र.क्र.८/संगणक कक्ष

दिनांक : २७/४/२०२३

- दरपत्रक सूचना-

विषय :- Poly कंपनीचा Poly Studio USB Video bar संयंत्र खरेदीबाबत...

१. खरेदीची व्याप्ती -:

मा. अपर मुख्य सचिव, आदिवासी विकास विभाग यांचे दालनात व्हिडीओ कॉन्फरन्ससाठी कॅमेरा, मायक्रो फोन व स्पीकरयुक्त Poly Studio USB Video bar (१ संयंत्र) खरेदीसाठी सोबत जोडलेल्या विनिर्देशानुसार (Specification) मोहोरबंद लिफाफ्यामध्ये इच्छुक पुरवठादार/प्राधिकृत वितरक/ विक्रेते यांच्याकडून दरपत्रके मागविण्यात येत आहेत.

२. दरपत्रक सादर करावयाचा दिनांक :-

मोहोरबंद लिफाफ्यातील दरपत्रके कक्ष अधिकारी (संगणक कक्ष), आदिवासी विकास विभाग, पहिला मजला, रुम नं.१३३ (विस्तार इमारत), मंत्रालय, मुंबई-४०० ०३२ यांच्या नावे दिनांक ४/५/२०२३ रोजी दुपारी २.३० वाजेपर्यंत पाठवावेत अथवा प्रत्यक्ष सादर करावेत.

मोहोरबंद लिफाफ्यावर ठळक शब्दात "खरेदीचा विषय" नमूद करावा.

३. दरपत्रक उघडण्याचा दिनांक-:

विहित कालावधीत प्राप्त झालेले लिफाफे/दरपत्रके दिनांक ४/५/२०२३ रोजी दुपारी ३.३० वाजता उप सचिव (संगणक कक्ष) यांचे दालन, आदिवासी विकास विभाग, पहिला मजला, रुम नं.१३१ (विस्तार इमारत), मंत्रालय, मुंबई-४०० ०३२ येथे उघडण्यात येतील.

सदर दरपत्रके (मोहोरबंद लिफाफा) उघडण्याच्या वेळी संबंधित दरपत्रकधारक/निविदाधारक स्वतः किंवा त्यांचा प्रतिनिधी प्राधिकारपत्रासह उपस्थित राहू शकेल.

४. **राखीव अधिकार-:**


कोणतेही दरपत्रक स्विकारण्याचा किंवा सर्वच दरपत्रके नाकारण्याचा हक्क या कार्यालयाचे विभागप्रमुख यांना राहतील.

५. **अटी व शर्ती-:**

१. प्रत्येक निविदाधारकास केवळ एकच दरपत्रक सादर करता येईल.
२. निविदाधारकाने सादर करावयाचे दरपत्रक अधिकृत लेटरहेडवर सही व शिक्क्यासह सादर करणे बंधनकारक आहे.
३. निविदाधारकाने सादर संयंत्राची (Poly Studio USB Video bar) किंमत (जीएसटीसह) दर्शविण्यात यावी. तसेच Installation & Commissioning करणे आवश्यक राहिल.
४. पात्र निविदाधारकांनी सादर केलेल्या दरपत्रकाच्या आधारे एल १-(L-1) निविदाधारकास पुरवठा आदेश देण्यात येईल.

६. **निविदाधारकास खालील आवश्यक कागदपत्रांची पूर्तता करणे आवश्यक राहिल :-**

- अ) पुरवठादार विक्रेत्यास /प्राधिकृत वितरक/(Authorized Distributors/ Service Provider) यांना OEM/Original Service Provider कडून Manufacturer Authorization Form (MAF) सादर करणे अनिवार्य आहे.
- आ) दरपत्रकासोबत वस्तु व सेवाकर (जीएसटी) नोंदणी प्रमाणपत्र प्रत, पॅनकार्डची प्रत जोडावी.



(लता प्र.सावंत)

कक्ष अधिकारी, महाराष्ट्र शासन



USB VIDEO BAR BUILT FOR BIG IDEAS

BENEFITS

- You've never heard a USB video bar sound this good – Poly Studio has the absolute best audio quality and voice clarity in its class.
- Distracting sounds are eliminated by our patented NoiseblockAI and Acoustic Fence technologies – only found on Poly devices.
- Be more productive on both ends of your video conference with a smart camera that automatically frames the room or tracks the person speaking for deeper engagement.
- Eliminate "sneakernet" with centralized management, enabling high-scale deployments without added burden on IT.


POLY STUDIO

Meet Poly Studio, the premium USB video bar built for mid-sized rooms. Delivering the best audio quality in its class, it blocks distracting sounds that can interrupt meetings. Teams on both ends of the call catch every word with rich, powerful stereo speakers and a crystal clear microphone. With automatic speaker or group framing and automatic speaker tracking, the connection feels personal. They see all the important details, too – right down to body language and facial expressions. Easy to manage? Of course. The cloud-based management tools let IT push software updates and make settings changes without ever leaving their desk. Poly Studio. The shortcut to better huddle room collaboration.

- Acoustic Fence technology keeps voices outside the room from interrupting your calls.
- Up to 4.5 m/15 ft microphone pickup range.
- Smart-camera experiences are built in – no drivers or software needed.
- Centralized management enables high-scale deployments.
- Works with nearly any video platform.

DATA SHEET

POLY STUDIO



SPECIFICATIONS

CAMERA

- Ultra HD (4K 16:9, 2160p), Full HD (1080p), HD (720p)
- 120° FOV
- Automatic meeting experience powered by Poly DirectorAI including group framing, speaker framing, presenter tracking, and conversation mode
- 5x zoom/EPTZ
- Presenter mode

AUDIO

- Poly Acoustic Clarity technology provides full-duplex conversations, acoustic echo cancellation and background noise suppression
- Poly NoiseBlockAI technology
- Poly Acoustic Fence technology
- Mute/unmute controls
- Stereo microphones:
 - 6-element beamforming microphone array
 - Up to 15 ft pickup range
 - 120 Hz–16 kHz frequency response

SPEAKERS

- Stereo speakers with 100 HZ to 20 HZ frequency response
- Output = 90 dB @ 0.5m

INTERFACES

- 1x USB 3.0 Type-C port (with 2.0 compatibility)
- Power connector
- Optional external microphone
- 3.5 mm stereo Audio In
- Kensington security lock
- 802.11ac Wi-Fi wireless networking for manageability; IEEE 802.11a/b/g/n compatible
- Bluetooth® 4.2

POWER REQUIREMENTS

- 12VDC/5A @ 100~240VAC, 50/60 Hz

SYSTEM REQUIREMENTS

- Supported operating systems
 - Windows 7, 8.1, 10
 - MacOS 10.12, 10.13, 10.14
- Support for standard audio and video device drivers
 - UAC 1.0 Audio
 - UVC 1.1/1.5 Video
 - HID 1.11

DEVICE DRIVER SUPPORT

- USB 2.0/3.0/3.1
- UVC/UAC Plug and Play Compatible

COMPATIBILITY

- Compatible with any application that supports standard USB audio and video drivers
- Certified for Zoom Rooms and Microsoft Teams

MANAGEABILITY (VIA WI-FI)

- Polycom Companion App (running on Win/Mac PC connected to device)
- Polycom RealPresence Resource Manager
- Polycom Device Management Service
- Poly Lens cloud management and Poly Lens Desktop App (local management via Windows/Mac)

SECURITY

- 802.1x support
- Certification management

DIMENSIONS AND WEIGHTS

- Unit dimensions:
 - 105 mm x 700 mm x 70 mm = 4.2" x 27.3" x 2.8" (HxWxD) without stand
 - 156 mm x 700 mm x 70 mm = 6.2" x 27.3" x 2.8" (HxWxD) with stand
- Weight:
 - 5 lbs 2.6 oz (2342 g) without stand
 - 6 lbs 4.7 oz (2856 g) with stand
- Remote control dimensions:
 - 183 mm x 40 mm x 19 mm = 7.2" x 1.6" x .75" (HxWxD)

OPERATING CONDITIONS

- Operating temperature
 - 32–104°F (0–40°C)
- Relative humidity
 - 5–95%, noncondensing
- Storage temperature
 - 13–160°F (-25°–70°C)

PACKAGE CONTENTS

- Poly Studio
- Remote control with 2 AAA batteries
- Power adapter
- 5 m USB 2.0 cable (Type-C to Type-A)
- Table stand
- Wall mount kit
- Setup sheet

OPTIONAL ACCESSORIES

- Expansion microphone
- VESA mount

WARRANTY INFORMATION

- 1-year limited hardware warranty

LEARN MORE

For more information on Poly Studio, visit poly.com/studio